



TRADITIONAL LINE Klaudia / Klaudia Plus

Teorema Plus Raffaella Idro H18

PRESTIGE LINE Sabry

EVOLUTION LINE

Pamela Gabriella Plus Sharon Plus Sinfony Rosanna Idro

Guenda Idro



KLAUDIA

Ventilated pellet stove

MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw * Efficiency >91% * Heatable m 3 228 m 3 * Feed box Total capacity 15 kg *

Dimensions WxHxD 498 x 1017 x 509 *

PLUS

High temperature painted steel covering and majolica top cover Room ventilation with frontal outlet (comfort function)

Removable ash compartment

Hearth, door and brazier in cast iron

Over heating Thermostat, Safety pressure switch

Integrated room temperature thermostat

Weekly programmer

Hermetic tank

Black LCD Display

IR touch remote control

Ergonomic handle

Smoke discharge through rear or upper outlet

SALES INFORMATION

Colors Ivory, Burgundy, Black

Availability September 2021

Pricelist – L1 € 2.096



KLAUDIA PLUS

Pellet stove with ducting system

MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw *
Efficiency >91% *
Heatable m³ 228 m³ *
Feed box Total capacity 15 kg *

Dimensions WxHxD 498 x 1017 x 509 *

PLUS

High temperature painted steel covering and majolica top cover

Room ventilation with frontal outlet (comfort function)

Removable ash compartment

Hearth, door and brazier in cast iron

Over heating Thermostat, Safety pressure switch

Integrated room temperature thermostat

Weekly programmer

Hermetic tank

Black LCD Display

IR touch remote control

Ergonomic handle

Smoke discharge through rear or upper outlet

Ducting system with dedicated motor

- thermostatable
- till 6 mt (1,2 kW)
- rear outlet 80 mm

SALES INFORMATION

Colors Ivory, Burgundy, Black

Availability September 2021

Pricelist – L1 € 2.351



TEOREMA PLUS

Pellet stove with ducting system (two outlets)

MAIN TECHNICAL DATA

Nominal heat output 12,0 Kw *
Efficiency 92,1% *
Heatable m³ 340 m³ *
Feed box Total capacity 30 kg *

Dimensions WxHxD 525 x 1080 x 605 *

PLUS

High temperature painted steel covering and majolica top cover Room ventilation with frontal outlet and doble funs (comfort function) Removable ash compartment

Hearth, door and brazier in cast iron

Over heating Thermostat e Safety pressure switch

Integrated room temperature thermostat

Weekly programmer

Black LCD Display e IR touch remote control

Ducting system with two outlets and two dedicated motors

- Excludable
- thermostatable
- till 8 mt each (1,2 kW)
- rear outlets 80 mm

Upper or rear centered smoke outlet

Four motors for the ventilating and ducting systems:

- 2 dedicated for the frontal ventilation (Comfort function)
- 2 dedicated for the ducting system (excludable)

SALES INFORMATION

Colors Ivory, Burgundy, Black

Availability April 2021 Pricelist – L1 € 3.049



RAFFAELLA IDRO H18

Ventilated pellet thermostove

MAIN TECHNICAL DATA

Nominal heat output
Power to water

Efficiency
Heatable m³
Feed box Total capacity

21,5 Kw *
18,0 kW *
>91% *
615 m³ *

Dimensions WxHxD 635 x 1180 x 626 *

PLUS

High temperature painted steel covering

Room ventilation with frontal outlet (excludable)

Removable ash compartment

Hearth and door in cast iron

Over heating Thermostat e Safety pressure switch

Weekly programmer

Heat exchanger with manual cleaning system

Ceramics glow plug

PWM pump

Black LCD Display e IR touch remote control

Rear smoke outlet

Safety valve 3 bar

Expansion tank

Air relief valve

Pressure transducer and display pressure value indication

SALES INFORMATION

Colors Light Grey, Ivory

Availability July 2021 Pricelist – L1 € 4.625



SABRY

Ventilated pellet stove



Nominal heat output 7,0 Kw * >91,0% * Efficiency 200 m³ * Heatable m³ Feed box Total capacity 15 kg *

456 x 927 x 488 * Dimensions WxHxD



PLUS

High temperature painted steel covering Room ventilation with frontal outlet (comfort function) Removable ash compartment Hearth, door and brazier in cast iron Over heating Thermostat Safety pressure switch Integrated room temperature thermostat Weekly programmer Hermetic tank Black LCD Display IR touch remote control Rear smoke outlet Ergonomic handle

SALES INFORMATION

Ivory, Black, Bronze Colors

Availability August 2021 Pricelist – L1 € 1.821



PAMELA

Ventilated and hermetic pellet stove

MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw *
Efficiency 91,2% *
Heatable m³ 230 m³ *
Feed box Total capacity 15 kg *

Dimensions WxHxD 460 x 1200 x 465 *



PLUS

Covering:

- Steel sides (Tortora, Bronze) + steel top cover(Black)
- Glass sides (Black) + steel top cover(Black)

Room ventilation with frontal outlet (comfort function)

Removable ash compartment

Doble door, (tempered glass rounded external door + flat internal door with ceramic glass)

Hearth, internal door and brazier in cast iron

Over heating Thermostat, Weekly programmer

Ash compartment safety pressure switch

Hermetic product

Radio control with multifunctional "handheld device"

Ceramics glow plug

Rear smoke outlet

Differential Safety pressure switch, Emergency controller

SALES INFORMATION

Colors Steel sides (Tortora, Bronze) + steel top cover(Black)

Glass sides (Black) + steel top cover(Black)

Availability July 2021

Pricelist – L1 € 3.253 (Tortora, Bronze)

€ 3.532 (Black)



GABRIELLA PLUS

Hermetic pellet stove with ducting system

MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw *
Efficiency >91,0% *
Heatable m³ 230 m³ *
Feed box Total capacity 15 kg *

Dimensions WxHxD 750 x 1077 x 350 *



PLUS

High temperature painted steel covering or steel / stone Room ventilation with upper outlet (Comfort function) Removable ash compartment

Single door with doble glass, both ceramic

Hearth, door and brazier in cast iron

Weekly programmer

Integrated room temperature thermostat

Hermetic product

Black LCD Display, IR touch remote control

Ducting system with dedicated motor

- excludable
- thermostatable
- till 8 mt
- rear or left side outlet, 80 mm

Rear or upper smoke outlet (to be confirmed)

Differential safety pressure switch

SALES INFORMATION

Colors White, Natural Stone, Bronze

Availability June 2021

Pricelist – L1 € 3.049 (White, Bronze)

€ 3.304 (Stone)



SHARON PLUS

Hermetic pellet stove with ducting system

MAIN TECHNICAL DATA

Nominal heat output 10,0 Kw *
Efficiency >91,0% *
Heatable m³ 285 m³ *
Feed box Total capacity 21 kg *

Dimensions WxHxD 900 x 1150 x 290 *



PLUS

Glass, Stone or Ceramic Covering

Heart in White refractory (Extra-ker)

Room ventilation with upper outlet (excludable*)

Removable ash compartment

Doble door with ceramic glasses

Internal door and brazier in cast iron

Weekly programmer

Hermetic product

Wide fire vision

Reduced depth (slim)

Radio control with multifunctional "handheld device"

Upper or Rear smoke outlet (to be confirmed)

Ceramics glow plug

Safety pressure switch differenziale, Emergency controller

Ducting system with dedicated motor, Excludable, Thermostatable, till 8 mt (1,2 kW) with rear outlet 80 mm

SALES INFORMATION

Colors Crystal Black, Natural Stone

Availability October 2021
Pricelist – L1 € 3.812 (Crystal)

€ 3.939 (Natural Stone)



SINFONY

Ventilated and hermetic pellet stove

MAIN TECHNICAL DATA

Nominal heat output 11,0 Kw *
Efficiency >91,0% *
Heatable m³ 315 m³ *
Feed box Total capacity 22 kg *

Dimensions WxHxD 480 x 1140 x 560 *



PLUS

High temperature painted steel covering and majolica

Room ventilation with upper outlet (excludable)

Removable ash compartment

Single door with doble glass (both ceramics)

Hearth, internal door and brazier in cast iron

Weekly programmer

Ash drawer Safety pressure switch

Hermetic product

New automatic cleaning system (brushless, endless screw)

Radio control with multifunctional "handheld device"

Rear smoke outlet

Ceramics glow plug

Brushless gearbox for pellet feeding

Differential Safety pressure switch

Emergency controller

SALES INFORMATION

Colors White, Bright Tortora

Availability July 2021 Pricelist – L1 € 3.799



ROSANNA IDRO

Ventilated and hermetic pellet thermostove

MAIN TECHNICAL DATA

Nominal heat output 14,2 Kw *
Power given back to water 11,0 kW *
Efficiency 91,1% *
Heatable m³ 405 m³ *
Feed box Total capacity 27 kg *

Dimensions WxHxD 511 x 1150 x 593 *

PLUS

High temperature painted steel covering and majolica top cover

Room ventilation with frontal outlet (excludable)

Removable ash compartment

Door and brazier in cast iron

Over heating Thermostat, Weekly programmer

Ash drawer Safety pressure switch

Integrated room temperature thermostat

Hermetic product

Black LCD Display and IR touch remote control

Rear smoke outlet

Ceramics glow plug

Differential Safety pressure switch

PWM pump

Expansion tank

Safety valve 3 bar and Air relief valve

Pressure transducer and display pressure value indication

SALES INFORMATION

Colors Ivory, Burgundy

Availability May 2021 Pricelist – L1 € 3.748





GUENDA IDRO

Ventilated and hermetic pellet thermostove

MAIN TECHNICAL DATA

Nominal heat output 17,6 Kw *
Power given back to water 14,1 kW *
Efficiency 90% *

Heatable m³ 505 m³ * Feed box Total capacity 30 kg *

Dimensions WxHxD 570 x 1145 x 622 *



PLUS

High temperature painted steel covering and cast iron top

Room ventilation with frontal outlet (excludable)

Removable ash compartment

Door and brazier in cast iron

Over heating Thermostat

Weekly programmer

Ash drawer Safety pressure switch

Integrated room temperature thermostat

Hermetic product,

Automatic cleaning system

Black LCD Display, IR touch remote control

Rear smoke outlet, Ceramics glow plug

Safety pressure switch differenziale

PWM pump, Expansion tank

Safety valve 3 bar, Air relief valve

Pressure transducer and display pressure value indication

Thermal probe into combustion chamber

SALES INFORMATION

Colors Ivory, Bronze, Tortora

Availability September 2021

Pricelist – L1 € 4.574







NEW WOOD PRODUCTS

TRADITIONAL LINE

Concita Rosetta Steel Sinistra Verona XXL - Pietra / Maiolica Venezia PRESTIGE LINE **Dante Tahiti**

AIR 💍



CONCITA

Wood stove with heat recovery system



MAIN TECHNICAL DATA

Nominal heat output 11,8 Kw *
Efficiency 85,6% *
Heatable m³ 335 m³ *
Smoke outlet diameter 150 mm *

Dimensions WxHxD 559 x 1035 x 569 *

PLUS

External facing in majolica
Air intake entrance with ACS system
Heart in cast iron and Nordiker with post combustion
Door, base and top in enamelled cast iron
Ceramic glass resistant up to 750° C
EPS system for heat recovery with enamelled pipe (Ø 150 H 500) with internal turbolator

Front extractable ash drawer

SALES INFORMATION

Colors White, Burgundy

Availability May 2021 Pricelist – L1 € 2.200 AIR

Q





ROSETTA STEEL SINISTRA

Wood burning cooker with left flue outlet



MAIN TECHNICAL DATA

Nominal heat output 7,3 Kw * Efficiency 80,0% * 209 m^3 *

Smoke outlet diameter 130 mm (s/p)* Dimensions WxHxD 885 x 843 x 572 *

PLUS

Sides in enamelled steel
Wood drawer in enamelled steel
Vitrified cast-iron frontal frame and doors
Cast iron frame, plate and rings
Heart in cast iron
Panoramic fire door with ceramic glass
Panoramic enamelled oven 28 I
Upper or rear left smoke outlet

SALES INFORMATION

Colors White, Black Availability April 2021 Pricelist – L1 € 1.800 AIR

%





VERONA XXL - Maiolica/Pietra

Free-standing wood burning cooker



MAIN TECHNICAL DATA

Nominal heat output 7,0 Kw * Efficiency 85,1% * Heatable m³ 200 m³ *

Smoke outlet diameter 150 mm (s/p)* Dimensions WxHxD 800 x 910 x 600 *

PLUS

Majolica or natural stone sides covering

External air intake (BBC)

Oven with excess steam valve

Wide Heart in Nordiker

Heart grid in thick cast iron

Cast iron double glass fire door

Top cooking plate and rings in thick cast-iron

Reversible doors

3 cm top

Large hearth in Nordiker with wide fire vision, wood logs up to 50 cm Cast iron fire door with internal combustion air path for glass cleaning

Everlasting enamelled cast-iron frontal frame

Large 68-liter enameled oven with light

Double glass oven door and stainless steel gaskets

Chromed oven rack with pull-out guides

SALES INFORMATION

Colors White infinity, Burgundy, Natural Stone

Availability May 2021 Pricelist – L1 € 3.350 AIR 💍



VENEZIA

Insertable wood burning cooker



MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw * Efficiency 85,1% * Heatable m³ 229 m³ *

Smoke outlet diameter 150 mm (s/p/dx)* Dimensions WxHxD 900 x 910 x 600 *

PLUS

High temperature painted steel covering inox or enamelled and frontal crystal frame

Oven with excess steam valve

External air intake (BBC)

Heart in cast iron and Nordiker

Heart grid in thick cast iron

Cast iron double glass fire door

Top cooking plate and rings in thick cast-iron

Cast Iron frontal frame

3 cm top

Option of fitting between furniture cabinets (ongoing tests for additional kit)

Anti condensation drainage pipe connection Ø 130 (ongoing tests)

Cast iron fire door with internal combustion air path for glass cleaning

Large 44-liter enameled oven with light

Double glass oven door and stainless steel gaskets

Chromed oven rack with pull-out guides

Frontal handrail

SALES INFORMATION

Colors Inox, Black Availability July 2021

Pricelist – L1 € 3.240 (Black)

€ 3.300 (Inox)

AIR 💍





DANTE

Wood stove with heat recovery system



PRESTIGE

MAIN TECHNICAL DATA

Nominal heat output 7,4 Kw * Efficiency 85,1% * Heatable m³ 212 m³ *

Smoke outlet diameter 160 mm *

Dimensions WxHxD 820 x 1040 x 520 *

1450 x 1040 x 520 * (with bench)

PLUS

Internal structure in enamelled steel

Lowered fire top for better flame view

External air intake (BBC)

Removable ash compartment

Heart in Nordiker

Adjustable primary and secondary air, preset tertiary air with post combustion system

EPS system for heat recovery with enamelled pipe (Ø 150 H 500) with

internal turbolator Reversible doors

Bench option: 145 cm lenght

SALES INFORMATION

Colors Black
Availability May 2021
Pricelist – L1 € 2.400

€ 2.700 (mit logholder)

€ 800 (Bench – accessory)

AIR ♂



TAHITI

Cast iron wood stove



MAIN TECHNICAL DATA

Nominal heat output 7,5 Kw *
Efficiency 81,5% *
Heatable m³ 215 m³ *
Smoke outlet diameter 150 mm *

Dimensions WxHxD 744 x 893 x 434 *

PRESTIGE

PLUS

Stove made completely of Enamelled cast-iron External air intake (BBC) Heart in cast iron and Nordiker with post combustion Removable ash compartment Front and side loading door Wood logs up to 50 cm

SALES INFORMATION

Colors Black
Availability May 2021
Pricelist – L1 € 1.700

QAIR



TAHITI EPS

Cast iron wood stove with heat recovery system



MAIN TECHNICAL DATA

Nominal heat output 8,0 Kw * Efficiency >85% * - m³ * Heatable m³

150 mm * Smoke outlet diameter

744 x 1393 x 434 * Dimensions WxHxD

PRESTIGE

PLUS

Stove made completely of Enamelled cast-iron

External air intake (BBC)

Heart in cast iron and Nordiker with post combustion

Removable ash compartment

Front and side loading door

Wood logs up to 50 cm

EPS system for heat recovery with enamelled pipe (Ø 150 H 500) with

internal turbolator

SALES INFORMATION

Black Colors

Availability May 2021 Pricelist – L1 € 1.800