





ELECTRICAL SCHEMES

Wall Mounted Kits 1x1

Indoor unit



Outdoor unit




Attention: Wall Mounted Etherea have different connection terminals



Single Phase
Power Source
230V / 50Hz



Infrared remote controller
(included in the delivery)



Wall Mounted Heatcharge VZ R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-VZ9SKE	230V	16A	4 x 1,5mm ²	CU-VZ9SKE
CS-VZ12SKE	230V	16A	4 x 1,5mm ²	CU-VZ12SKE

Wall Mounted Etherea Silver / Pure White Matt R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-XZ20VKEW / CS-Z20VKEW	230V	16A	4 x 1,5mm ²	CU-Z20VKE
CS-XZ25VKEW / CS-Z25VKEW	230V	16A	4 x 1,5mm ²	CU-Z25VKE
CS-XZ35VKEW / CS-Z35VKEW	230V	16A	4 x 1,5mm ²	CU-Z35VKE
— / CS-Z42VKEW	230V	16A	4 x 2,5mm ²	CU-Z42VKE
CS-XZ50VKEW / CS-Z50VKEW	230V	16A	4 x 2,5mm ²	CU-Z50VKE
— / CS-Z71VKEW	230V	20A	4 x 2,5mm ²	CU-Z71VKE

Wall Mounted TZ Compact Style R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-TZ20TKEW-1	230V	16A	4 x 1,5mm ²	CU-TZ20TKE-1
CS-TZ25TKEW-1	230V	16A	4 x 1,5mm ²	CU-TZ25TKE-1
CS-TZ35TKEW-1	230V	16A	4 x 1,5mm ²	CU-TZ35TKE-1
CS-TZ42TKEW-1	230V	16A	4 x 1,5mm ²	CU-TZ42TKE-1
CS-TZ50TKEW	230V	16A	4 x 2,5mm ²	CU-TZ50TKE
CS-TZ60TKEW	230V	20A	4 x 2,5mm ²	CU-TZ60TKE
CS-TZ71TKEW	230V	20A	4 x 2,5mm ²	CU-TZ71TKE

Wall Mounted RZ Compact Style R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-RZ20VKEW	230V	16A	4 x 1,5mm ²	CU-RZ20VKE
CS-RZ25VKEW	230V	16A	4 x 1,5mm ²	CU-RZ25VKE
CS-RZ35VKEW	230V	16A	4 x 1,5mm ²	CU-RZ35VKE
CS-RZ42VKEW	230V	16A	4 x 1,5mm ²	CU-RZ42VKE
CS-RZ50VKEW	230V	16A	4 x 2,5mm ²	CU-RZ50VKE
CS-RZ60VKEW	230V	20A	4 x 2,5mm ²	CU-RZ60VKE
CS-RZ71VKEW	230V	20A	4 x 2,5mm ²	CU-RZ71VKE

Wall Mounted FZ Type Standard R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-FZ25UKE	230V	16A	4 x 1,5mm ²	CU-FZ25UKE
CS-FZ35UKE	230V	16A	4 x 1,5mm ²	CU-FZ35UKE
CS-FZ50UKE	230V	16A	4 x 2,5mm ²	CU-FZ50UKE
CS-FZ60UKE	230V	—	—	CU-FZ60UKE

Wall Mounted UZ Type Standard R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-UZ25VKE	230V	16A	4 x 1,5mm ²	CU-UZ25VKE
CS-UZ35VKE	230V	16A	4 x 1,5mm ²	CU-UZ35VKE
CS-UZ50VKE	230V	16A	4 x 1,5mm ²	CU-UZ50VKE

Wall Mounted PZ Type Standard R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-PZ25VKE	230V	16A	4 x 1,5mm ²	CU-PZ25VKE
CS-PZ35VKE	230V	16A	4 x 1,5mm ²	CU-PZ35VKE
CS-PZ50VKE	230V	16A	4 x 1,5mm ²	CU-PZ50VKE

Wall Mounted DZ Type Standard R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-DZ25VKE	230V	16A	4 x 1,5mm ²	CU-DZ25VKE
CS-DZ35VKE	230V	16A	4 x 1,5mm ²	CU-DZ35VKE
CS-DZ50VKE	230V	16A	4 x 1,5mm ²	CU-DZ50VKE

Wall Mounted Etherea Silver / Matt Pearl White R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-XE7SKEW / CS-E7SKEW-M	230V	16A	4 x 1,5mm ²	CU-E7SKE
CS-XE9SKEW / CS-E9SKEW-M	230V	16A	4 x 1,5mm ²	CU-E9SKE
CS-XE12SKEW / CS-E12SKEW-M	230V	16A	4 x 1,5mm ²	CU-E12SKE
— / CS-E15SKEW-M	230V	16A	4 x 1,5mm ²	CU-E15SKE
CS-XE18SKEW / CS-E18SKEW-M	230V	16A	4 x 2,5mm ²	CU-E18SKE

Wall Mounted TE Compact Style R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-TE20TKEW	230V	16A	4 x 1,5mm ²	CU-TE20TKE
CS-TE25TKEW	230V	16A	4 x 1,5mm ²	CU-TE25TKE
CS-TE35TKEW	230V	16A	4 x 1,5mm ²	CU-TE35TKE
CS-TE42TKEW	230V	16A	4 x 1,5mm ²	CU-TE42TKE
CS-TE50TKEW	230V	16A	4 x 1,5mm ²	CU-TE50TKE
CS-TE60TKEW	230V	16A	4 x 1,5mm ²	CU-TE60TKE

Wall Mounted FE Type Standard R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-FE25UKE	230V	16A	4 x 1,5mm ²	CU-FE25UKE
CS-FE35UKE	230V	16A	4 x 1,5mm ²	CU-FE35UKE
CS-FE50UKE	230V	16A	4 x 1,5mm ²	CU-FE50UKE


Wall Mounted BE Type Standard R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-BE25TKE-1	230V	16A	4 x 1,5mm ²	CU-BE25TKE-1
CS-BE35TKE-1	230V	16A	4 x 1,5mm ²	CU-BE35TKE-1
CS-BE50TKE	230V	16A	4 x 1,5mm ²	CU-BE50TKE

Wall Mounted DE Type Standard R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-DE25TKE-1	230V	16A	4 x 1,5mm ²	CU-DE25TKE-1
CS-DE35TKE-1	230V	16A	4 x 1,5mm ²	CU-DE35TKE-1
CS-DE50TKE	230V	16A	4 x 1,5mm ²	CU-DE50TKE

Wall Mounted Professional Kits 1x1




Wall Mounted Professional -20°C R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-Z25TKEA	230V	16A	4 x 1,5mm ²	CU-Z25TKEA
CS-Z35TKEA	230V	16A	4 x 1,5mm ²	CU-Z35TKEA
CS-Z42TKEA	230V	16A	4 x 1,5mm ²	CU-Z42TKEA
CS-Z50TKEA	230V	16A	4 x 2,5mm ²	CU-Z50TKEA
CS-Z71TKEA	230V	20A	4 x 2,5mm ²	CU-Z71TKEA

Wall Mounted Professional -20°C R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-E9PKEA	230V	16A	4 x 1,5mm ²	CU-E9PKEA
CS-E12PKEA	230V	16A	4 x 1,5mm ²	CU-E12PKEA
CS-E15PKEA	230V	16A	4 x 1,5mm ²	CU-E15PKEA
CS-E18PKEA	230V	16A	4 x 2,5mm ²	CU-E18PKEA

Floor Console Kits 1x1



Floor Console Type R32



Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-Z25UFEAW	230V	16A	3 x 1,5mm ²	CU-Z25UBEA
CS-Z35UFEAW	230V	16A	3 x 1,5mm ²	CU-Z35UBEA
CS-Z50UFEAW	230V	16A	3 x 2,5mm ²	CU-Z50UBEA

Floor Console Type R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-E9GFEW	230V	16A	3 x 1,5mm ²	CU-E9PFE
CS-E12GFEW	230V	16A	3 x 1,5mm ²	CU-E12PFE
CS-E18GFEW	230V	16A	3 x 2,5mm ²	CU-E18PFE

4 Way 60x60 Cassette Kits 1x1


Indoor unit



Single Phase
Power Source
230V / 50Hz



Infrared remote controller
(included in the delivery)



Communication cable

Outdoor unit



4 Way 60x60 Cassette R32


Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-Z25UB4EAW	230V	16A	—	CU-Z25UBEA
CS-Z35UB4EAW	230V	16A	—	CU-Z35UBEA
CS-Z50UB4EAW	230V	16A	—	CU-Z50UBEA
CS-Z60UB4EAW	230V	16A	—	CU-Z60UBEA

4 Way 60x60 Cassette R410A


Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-E9PB4EA	230V	16A	4 x 1,5 - 2,5	CU-E9PB4EA
CS-E12PB4EA	230V	16A	4 x 1,5 - 2,5	CU-E12PB4EA
CS-E18RB4EAW	230V	16A	4 x 1,5 - 2,5	CU-E18RBEA
CS-E21RB4EAW	230V	16A	4 x 1,5 - 2,5	CU-E21RBEA

Low Static Pressure Hide Away Kits 1x1

Indoor unit



Single Phase
Power Source
230V / 50Hz



Communication cable

Outdoor unit




Low Static Pressure Hide Away R32

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-Z25UD3EAW	230V	16A	4 x 1,5 - 2,5	CU-Z25UBEA
CS-Z35UD3EAW	230V	16A	4 x 1,5 - 2,5	CU-Z35UBEA
CS-Z50UD3EAW	230V	16A	4 x 1,5 - 2,5	CU-Z50UBEA
CS-Z60UD3EAW	230V	—	—	CU-Z60UBEA

Low Static Pressure Hide Away R410A

Indoor unit	Power source	Recommended fuse	Connection indoor / outdoor	Outdoor unit
CS-E9PD3EA	230V	16A	4 x 1,5 - 2,5	CU-E9PD3EA
CS-E12OD3EAW	230V	16A	4 x 1,5 - 2,5	CU-E12OD3EA
CS-E18RD3EAW	230V	16A	4 x 1,5 - 2,5	CU-E18RBEA

Free Multi System 2 Rooms




Free Multi System R32

Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-2Z35TBE	230V	16A	2,5mm ²
CU-2Z41TBE	230V	16A	2,5mm ²
CU-2Z50TBE	230V	16A	2,5mm ²
CU-2TZ41TBE	230V	—	—
CU-2TZ50TBE	230V	—	—

Free Multi System R410A

Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-2E12SBE	230V	16A	2,5mm ²
CU-2E15SBE	230V	16A	2,5mm ²
CU-2E18SBE	230V	16A	2,5mm ²
CU-2RE15SBE	230V	—	—
CU-2RE18SBE	230V	—	—

Free Multi System 3 Rooms



Free Multi System R32


Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-3Z52TBE	230V	16A	2,5mm ²
CU-3Z68TBE	230V	16A	2,5mm ²
CU-3TZ52TBE	230V	—	—

Free Multi System R410A

Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-3E18PBE	230V	16A	2,5mm ²
CU-3E23SBE	230V	16A	2,5mm ²
CU-3RE18SBE	230V	—	—

Free Multi System 4 Rooms

Indoor unit



Outdoor unit



Single Phase Power Source
230V / 50Hz / 10A

Free Multi System R32


Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-4Z68TBE	230V	20A	2,5mm ²
CU-4Z80TBE	230V	20A	2,5mm ²

Free Multi System R410A



Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-4EZ3PBE	230V	20A	2,5mm ²
CU-4E27PBE	230V	20A	2,5mm ²

Free Multi System 5 Rooms

Indoor unit



Outdoor unit



Single Phase Power Source
230V / 50Hz / 10A


Free Multi System R32

Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-5Z90TBE	230V	25A	3,5mm ²

Free Multi System R410A

Outdoor unit	Power source	Recommended fuse	Connection indoor / outdoor
CU-5E34PBE	230V	25A	3,5mm ²

PACi Wall Mounted Kits 1x1




Single Phase

Indoor unit	Power source	R32			R410A		
		Outdoor unit	Power source	Circuit breaker*	Outdoor unit	Power source	Circuit breaker*
S-36PK2E5B	220 / 230 / 240V	U-36PZH2E5	220 / 230 / 240V	16A	U-36PE2E5A	16A	
S-50PK2E5B		U-50PZH2E5		16A	U-50PE2E5A	16A	
S-60PK2E5B		U-60PZH2E5		20A	U-60PE2E5A	20A	
S-71PK2E5B		U-71PZH2E5		20A	U-71PE1E5A	20A	
S-100PK2E5B		U-100PZH2E5		30A	U-100PE1E5A	30A	
S-60PK2E5B		U-60PZ2E5		20A	U-60PEY2E5	20A	
S-71PK2E5B		U-71PZ2E5		20A	U-71PEY2E5	20A	
S-100PK2E5B		U-100PZ2E5		30A	U-100PEY1E5	30A	

Three Phase

Indoor unit	Power source	R32			R410A		
		Outdoor unit	Power source	Circuit breaker**	Outdoor unit	Power source	Circuit breaker**
S-71PK2E5B	220 / 230 / 240V	U-71PZH2E8	380 / 400 / 415V	10A	U-71PE1E8A	10A	
S-100PK2E5B		U-100PZH2E8		10A	U-100PE1E8A	10A	
S-100PK2E5B		U-100PZ2E8		10A	U-100PEY1E8	10A	

PACi 4 Way 60x60 Cassette Kits 1x1



Single Phase

Indoor unit	Power source	R32			R410A		
		Outdoor unit	Power source	Circuit breaker	Outdoor unit	Power source	Circuit breaker
S-36PY2E5B	220 / 230 / 240V	U-36PZH2E5	220 / 230 / 240V	16A	U-36PE2E5A	16A	
S-50PY2E5B		U-50PZH2E5		16A	U-50PE2E5A	16A	

BIG PACi High Static Pressure Hide Away 20,00-25,00kW Kits 1x1


Indoor unit




Outdoor unit



Single Phase Power Source
230V / 50Hz / 10A



CZ-RTCSB
Wired remote controller



Three Phase Power Source
3 x 400V / 1N - 50Hz / *

Three Phase

R32		R410A	
Indoor unit	Power source	Outdoor unit	Power source
S-200PE3E5B	220 / 230 / 240V	U-200PZH2E8	380 / 400 / 415V
S-250PE3E5B		U-250PZH2E8	
Indoor unit	Power source	Outdoor unit	Power source

PACi 4 Way 90x90 Cassette Kits 1x1


Indoor unit




Outdoor unit




Single Phase Power Source
230V / 50Hz / 3A



CZ-RTCSB
Wired remote controller



Single Phase Power Source
230V / 50Hz / *



Three Phase Power Source
3 x 400V / 1N - 50Hz / **

Single Phase



R32		R410A	
Indoor unit	Power source	Outdoor unit	Power source
S-36PU2E5B	220 / 230 / 240V	U-36PZH2E5	220 / 230 / 240V
S-50PU2E5B		U-50PZH2E5	
S-60PU2E5B		U-60PZH2E5	
S-71PU2E5B		U-71PZH2E5	
S-100PU2E5B		U-100PZH2E5	
S-125PU2E5B		U-125PZH2E5	
S-140PU2E5B		U-140PZH2E5	
S-60PU2E5B		U-60PZ2E5	
S-71PU2E5B		U-71PZ2E5	
S-100PU2E5B		U-100PZ2E5	
S-125PU2E5B		U-125PZ2E5	
S-140PU2E5B		U-140PZ2E5	

Three Phase


R32		R410A	
Indoor unit	Power source	Outdoor unit	Power source
S-71PU2E5B	220 / 230 / 240V	U-71PZH2E8	380 / 400 / 415V
S-100PU2E5B		U-100PZH2E8	
S-125PU2E5B		U-125PZH2E8	
S-140PU2E5B		U-140PZH2E8	
S-100PU2E5B		U-100PZ2E8	
S-125PU2E5B		U-125PZ2E8	
S-140PU2E5B		U-140PZ2E8	

PACi Ceiling Kits 1x1

Indoor unit



Outdoor unit



Single Phase
Power Source
230V / 50Hz / 3A

Single Phase
Power Source
230V / 50Hz / *

Three Phase
Power Source
3 x 400V / 1N - 50Hz / **

Single Phase



Indoor unit	Power source	R32			R410A		
		Outdoor unit	Power source	Circuit breaker*	Outdoor unit	Power source	Circuit breaker*
S-36PT2E5B	220 / 230 / 240V	U-36PZH2E5	220 / 230 / 240V	16A	U-36PE2E5A	16A	
S-50PT2E5B		U-50PZH2E5		16A	U-50PE2E5A	16A	
S-60PT2E5B		U-60PZH2E5		20A	U-60PE2E5A	20A	
S-71PT2E5B		U-71PZH2E5		20A	U-71PE1E5A	20A	
S-100PT2E5B		U-100PZH2E5		30A	U-100PE1E5A	30A	
S-125PT2E5B		U-125PZH2E5		30A	U-125PE1E5A	220 / 230 / 240V	30A
S-140PT2E5B		U-140PZH2E5		30A	U-140PE1E5A	40A	
S-60PT2E5B		U-60PZ2E5		20A	U-60PEY2E5	20A	
S-71PT2E5B		U-71PZ2E5		20A	U-71PEY2E5	20A	
S-100PT2E5B		U-100PZ2E5		30A	U-100PEY1E5	30A	
S-125PT2E5B		U-125PZ2E5		30A	U-125PEY1E5	30A	
S-140PT2E5B		U-140PZ2E5		40A			

Three Phase


Indoor unit	Power source	R32			R410A		
		Outdoor unit	Power source	Circuit breaker**	Outdoor unit	Power source	Circuit breaker**
S-71PT2E5B	220 / 230 / 240V	U-71PZH2E8	380 / 400 / 415V	10A	U-71PE1E8A	10A	
S-100PT2E5B		U-100PZH2E8		10A	U-100PE1E8A	10A	
S-125PT2E5B		U-125PZH2E8		16A	U-125PE1E8A	16A	
S-140PT2E5B		U-140PZH2E8		16A	U-140PE1E8A	380 / 400 / 415V	16A
S-100PT2E5B		U-100PZ2E8		10A	U-100PEY1E8	10A	
S-125PT2E5B		U-125PZ2E8		16A	U-125PEY1E8	16A	
S-140PT2E5B		U-140PZ2E8		16A	U-140PEY1E8	16A	

PACi Hide Away Kits 1x1

Indoor unit



Outdoor unit



Single Phase
Power Source
230V / 50Hz / 3A

Single Phase
Power Source
230V / 50Hz / *

Three Phase
Power Source
3 x 400V / 1N - 50Hz / **


Single Phase

High Static indoor unit	Low Static indoor unit	Power source	R32			R410A		
			Outdoor unit	Power source	Circuit breaker*	Outdoor unit	Power source	Circuit breaker*
S-36PF1E5B	S-36PN1E5B	220 / 230 / 240V	U-36PZH2E5	220 / 230 / 240V	16A	U-36PE2E5A	16A	
S-50PF1E5B	S-50PN1E5B		U-50PZH2E5		16A	U-50PE2E5A	16A	
S-60PF1E5B	S-60PN1E5B		U-60PZH2E5		20A	U-60PE2E5A	20A	
S-71PF1E5B	S-71PN1E5B		U-71PZH2E5		20A	U-71PE1E5A	20A	
S-100PF1E5B	S-100PN1E5B		U-100PZH2E5		30A	U-100PE1E5A	30A	
S-125PF1E5B	S-125PN1E5B		U-125PZH2E5		30A	U-125PE1E5A	220 / 230 / 240V	30A
S-140PF1E5B	S-140PN1E5B		U-140PZH2E5		30A	U-140PE1E5A	40A	
S-60PF1E5B	S-60PN1E5B		U-60PZ2E5		20A	U-60PEY2E5	20A	
S-71PF1E5B	S-71PN1E5B		U-71PZ2E5		20A	U-71PEY2E5	20A	
S-100PF1E5B	S-100PN1E5B		U-100PZ2E5		30A	U-100PEY1E5	30A	
S-125PF1E5B	S-125PN1E5B		U-125PZ2E5		30A	U-125PEY1E5	30A	
S-140PF1E5B	S-140PN1E5B		U-140PZ2E5		40A			

Three Phase

High Static indoor unit	Low Static indoor unit	Power source	R32			R410A		
			Outdoor unit	Power source	Circuit breaker**	Outdoor unit	Power source	Circuit breaker**
S-71PF1E5B	S-71PN1E5B	220 / 230 / 240V	U-71PZH2E8	380 / 400 / 415V	10A	U-71PE1E8A	10A	
S-100PF1E5B	S-100PN1E5B		U-100PZH2E8		10A	U-100PE1E8A	10A	
S-125PF1E5B	S-125PN1E5B		U-125PZH2E8		16A	U-125PE1E8A	16A	
S-140PF1E5B	S-140PN1E5B		U-140PZH2E8		16A	U-140PE1E8A	380 / 400 / 415V	16A
S-100PF1E5B	S-100PN1E5B		U-100PZ2E8		10A	U-100PEY1E8	10A	
S-125PF1E5B	S-125PN1E5B		U-125PZ2E8		16A	U-125PEY1E8	16A	
S-140PF1E5B	S-140PN1E5B		U-140PZ2E8		16A	U-140PEY1E8	16A	

PACi Twin System



Single Phase


R32 Outdoor unit	Power source	Circuit breaker*	R410A Outdoor unit	Power source	Circuit breaker*
U-71PZH2E5	220 / 230 / 240V	20A	U-71PE1E5A	220 / 230 / 240V	20A
U-100PZH2E5		30A	U-100PE1E5A		30A
U-125PZH2E5		30A	U-125PE1E5A		30A
U-140PZH2E5		30A	U-140PE1E5A		40A
U-71PZ2E5		20A	U-100PE1E5		30A
U-100PZ2E5		30A	U-125PE1E5		30A
U-125PZ2E5		30A			
U-140PZ2E5		30A			

1) Optional wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.

Three Phase

R32 Outdoor unit	Power source	Circuit breaker**	R410A Outdoor unit	Power source	Circuit breaker**
U-71PZH2E8	380 / 400 / 415V	10A	U-71PE1E8A	380 / 400 / 415V	10A
U-100PZH2E8		10A	U-100PE1E8A		10A
U-125PZH2E8		16A	U-125PE1E8A		16A
U-140PZH2E8		16A	U-140PE1E8A		16A
U-200PZH2E8		16A	U-200PE2E8A		16A
U-250PZH2E8		25A	U-250PE2E8A		25A
U-100PZ2E8		10A	U-100PE1E8		10A
U-125PZ2E8		16A	U-125PE1E8		16A
U-140PZ2E8		16A	U-140PE1E8		16A

PACi Triple System



Single Phase


R32 Outdoor unit	Power source	Circuit breaker*	R410A Outdoor unit	Power source	Circuit breaker*
U-100PZH2E5	220 / 230 / 240V	30A	U-100PE1E5A	220 / 230 / 240V	30A
U-125PZH2E5		30A	U-125PE1E5A		30A
U-140PZH2E5		30A	U-140PE1E5A		40A

1) Optional wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.

Three Phase

R32 Outdoor unit	Power source	Circuit breaker**	R410A Outdoor unit	Power source	Circuit breaker**
U-100PZH2E8	380 / 400 / 415V	10A	U-100PE1E8A	380 / 400 / 415V	10A
U-125PZH2E8		16A	U-125PE1E8A		16A
U-140PZH2E8		16A	U-140PE1E8A		16A
U-200PZH2E8		16A	U-200PE2E8A		16A

PACi Double-Twin System



Single Phase


R32			R410A		
Outdoor unit	Power source	Circuit breaker	Outdoor unit	Power source	Circuit breaker
U-125PZH2E5	220 / 230 / 240V	30A	U-125PE1E5A	220 / 230 / 240V	30A

1) Optional wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.

Three Phase

R32			R410A		
Outdoor unit	Power source	Circuit breaker*	Outdoor unit	Power source	Circuit breaker*
U-125PZH2E8		16A	U-125PE1E8A		16A
U-200PZH2E8	380 / 400 / 415V	16A	U-200PE2E8A	380 / 400 / 415V	16A
U-250PZH2E8		25A	U-250PE2E8A		25A

Mini ECOi Series



Single Phase


Outdoor unit	Power source	Circuit breaker*
U-4LE2E5		20A
U-5LE2E5	220 / 230 / 240V	25A
U-6LE2E5		30A

1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.
2) 10A for single indoor connection to S-224ME2E5 / S-280ME2E5, in combination with U-8LE1E8 / U-10LE1E8.

Three Phase

Outdoor unit	Power source	Circuit breaker**
U-4LE2E8		10A
U-5LE2E8		16A
U-6LE2E8	380 / 400 / 415V	16A
U-8LE1E8		16A
U-10LE1E8		20A

ECOi EX and ECO G Series



ECOi EX Series


2-Pipe			3-Pipe		
Outdoor unit	Power source	Circuit breaker**	Outdoor unit	Power source	Circuit breaker**
U-8ME2E8		16A	U-8MF3E8		16A
U-10ME2E8		16A	U-10MF3E8		20A
U-12ME2E8		20A	U-12MF3E8	380 / 400 / 415V	25A
U-14ME2E8	380 / 400 / 415V	25A	U-14MF3E8		40A
U-16ME2E8		30A	U-16MF3E8		30A
U-18ME2E8		40A			
U-20ME2E8		40A			

ECO G Series

2-Pipe			3-Pipe		
Outdoor unit	Power source	Circuit breaker*	Outdoor unit	Power source	Circuit breaker*
U-16GE3E5		16A	U-16GF3E5		16A
U-20GE3E5	220 / 230 / 240V	16A	U-20GF3E5	220 / 230 / 240V	16A
U-25GE3E5		16A	U-25GF3E5		16A
U-30GE3E5		16A			

1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.

Hybrid GHP/EHP



1) Wireless remote controller is also possible. Wireless receivers may be required depending on indoor units.